
top'rezidence



Apartment Buildings G1-G5

premium apartment – penthouse

catalogue of standards

www.top-rezidence.cz



STANDARD OF THE OBJECT

ENERGY STANDARD

- low-energy apartment buildings
- energy label B

DOORS AND FLOORS

ENTRANCE DOOR TO THE APARTMENTS

 security class 3, standard fire resistance with a safety lock, doorknob-handle fittings

INTERIOR DOORS

- full veneered or white lacquered with a lining non-fold doorframe, hidden hinges, magnetic lock, rosette fittings, clear height: 2.1 m; in some doors an acoustic door grille – according to the project of air conditioning
- to the living rooms partially glazed doors

TREAD LAYERS OF THE FLOORS

- entrance to the apartment a wooden multilayer floor, glued all-over – choice of several types, including peripheral slats
- technical room / chamber ceramic tiles choice of several types, including a plinth
- living rooms, bedrooms, children's bedrooms a wooden multilayer floor, glued all-over – choice of several types, including peripheral slats
- balconies and terraces decking from quality terrace

BATHROOMS – FURNISHINGS, FLOOR TILING AND TILING

FURNISHINGS

- wall-hung toilet + preparation for a bidet seat
- small washbasin in the WC: ceramic, approx. 40 x 26 cm
- ceramic washbasin, medium, approx. 60 x 47 cm
- enamel bathtub, min. 170 x 80 cm, a bathtub sink with overflow filling
- no-tray shower with a floor gutter, alternatively a castmarble shower tray, dimensions according to the disposition
- glass shower screen
- for the small washbasin: a stand lever faucet, chrome
- for the washbasin: a concealed faucet, chrome
- concealed thermostatic shower and bath faucet, chrome
- hand and overhead shower in the shower, hand shower next to the bathtub

TILING AND FLOOR TILING

• large-format, rectified

ELEMENTS AND TECHNOLOGIES OF THE APARTMENT

- windows solid wood, EURO profiles with insulating triple glazing, frame colour according to the project documentation
- shading external blinds on all windows, with electric control and connection to a wind sensor mounted on the roof of the building
- window sills interior window sill boards: laminated
- preparation for installation preparation for the connection of an automatic washing machine and dryer; in the kitchen unit area: closed hot- and cold-water outlets, sewerage, for the possibility of connecting pipes for the sink and dishwasher
- central vacuum cleaner can be added as a client change

CENTRAL HEATING

- heat energy source for each building a gas boiler room a central gas boiler
- heating hot-water
- radiators hot-water floor heating in the living rooms, electric heating ladders and electric floor heating mats in the bathrooms
- domestic hot water central preparation storage heaters for each building

AIR CONDITIONING AND COOLING

- ventilation decentralized ventilation with heat recovery and an enthalpy exchanger, ventilation air distribution in the soffits and floors; a central inlet; for the bedroom and living room doors – an acoustic door grille, alternatively crosstalk elements above the room doors; wall or ceiling recuperation units with aftercooling – according to the HVAC project
- cooling an indoor wall split unit in each room (living room / kitchen, bedroom, children's bedroom, study)
- hood circulating / filtration, without connection to HVAC (client delivery)

ELECTRICAL INSTALLATION

- heavy-current wiring floor electricity meter switchboards; the cabling design allows for an intelligent control of elements and systems
- intelligent household control the standard package features the control of recuperation, heating, cooling and blinds

NOTE:

The investor reserves the right to replace the above-stated materials and fixtures (types, series, etc.) with substitutes featuring adequate or better technical parameters. These are for example cases when the said materials and / or fixtures are out of production at the time of construction or are not available for another reason.



- switches, sockets in the range according to the project
- low-current sockets a socket for common TV aerials in each room, a low-current switchboard equipped with passive elements (possibility for mounting a WI-FI router), a data socket in the rooms
- home phone a doorbell panel with a camera at the gate, a videophone next to the entrance door of the apartment
- lamps the lamps in the apartments are not part
 of a standard delivery, there is only preparation for
 fitting lamps according to the project documentation;
 the lighting of the terraces and balconies is part of the
 standard, lamps with energy-saving LED sources according
 to the architect's design
- metering separate metering of all media (water, electricity, heating and cooling) for each apartment, remote metering
- TV system reception of terrestrial digital signal is provided + possibility of extension by satellite reception and cable TV
- data data distribution from the central switchboard to each apartment
- electronic security alarm addition possible within a client change

BUILDING CONSTRUCTIONS

- **construction system** solid brick or monolithic wall system with reinforced-concrete monolithic elements
- peripheral and load-bearing walls bricked from blocks or monolithic reinforced-concrete walls according to the project
- walls between the apartments bricked from blocks or monolithic reinforced-concrete walls according to the project
- partitions in the apartments bricked from blocks
- floors an anhydrite self-leveling or concrete floating floor above thermal and impact insulation, as a base for the tread layer
- plasters smooth lime-plaster plasters
- painting double quality painting in a white tone
- soffits plasterboard constructions the bathrooms, WCs, corridors, chambers – to the necessary extent determined by the project

EXTERIOR PRIVATE AREAS

- railings segments made of glued safety glass in combination with steel elements, according to the architectural design
- at the exit to the terrace frost-resistant outflow fittings mounted

COMMON AREAS OF THE APARTMENT BUILDINGS

- entrance to the house and common areas design created by the project architect; the exterior of the entrance consists of aluminium facade panels, there is ceramic tiling in the interior
- staircase a reinforced-concrete structure, acoustically separated from other house structures, steel railings
- tread layer large-format ceramic rectified floor tiles
- entrance house door aluminium glazed, with an electromechanical lock
- home equipment a doorbell panel with a camera, mailboxes, cleaning zones
- interior lighting lights with energy-saving LED sources
- garage parking spaces the entrance to the car park will be closed by a sectional garage door with remote control, the parking spaces will be marked and numbered; one charging station for an electric car for each apartment
- common external areas grassy areas and landscaping (shrubs, trees), paved areas and roads
- exterior elements stone gabion and reinforced-concrete walls, benches in the range according to the project
- waste lockable space for municipal waste, sorted waste in the public space
- elevator a quiet-operation elevator without a machine room, with a structurally separated shaft

NOTE:

The investor reserves the right to replace the above-stated materials and fixtures (types, series, etc.) with substitutes featuring adequate or better technical parameters. These are for example cases when the said materials and / or fixtures are out of production at the time of construction or are not available for another reason.